

IT Projects Questions and Comments Response

Q #	Question	Response	
1	Is this going to be flown or mounted to a wall?	This will be a flow wall	Video Wall
2	What is the resolution of the video wall	Per the specifications of the ITB, it is a 4x4 220" LCD Video Wall.	Video Wall
3	What is the desired pixel size? Is there a preferred manufacturer?	There is no desired pixel size or manufacturer.	Video Wall
4	How many simultaneous video inputs need to show on the wall? Is there a need for windowing or will this be one large image all the time?	Six on Foster Avenue, one large image	Video Wall
5	Do we need to include a matrix video switcher?	Yes, if this will provide the different sources of input to be routed to the TVs / monitors.	Video Wall
6	Where are the sources and switcher located in relation to the video wall	Tennessee Department of Safety and Homeland Security (TDOSHS) believes the wall at Foster will be in close proximity (less than 1 foot) to the switches. The Training Center – in a small room approx. 30 – 40 feet away.	Video Wall
7	Are we controlling the video wall with a master touchscreen?	Yes.	Video Wall
8	Where are these going to be mounted?	On the walls at the training center in the classrooms.	85" Monitors
9	What type of mounts are needed?	There is no specific brand as long as the mounts can support the monitors on the wall.	85" Monitors
10	Are we controlling these monitors with a master touchscreen?	Yes.	85" Monitors
11	The specified monitors are residential grade and only carry a 90 day warranty. Would you rather have a commercial grade monitor?	There is no preference as long as it meets the specifications.	85" Monitors
13	Is there a brand or minimum specification for the wireless microphones?	There is no particular brand but the ITB specifications for the wireless microphones states a 4k Ultra HD Premium.	Wireless Mic
14	What type of lapel mic is desired? (Pickup pattern)	Any type is desired, there is no particular brand or specifications for the lapel mic.	Wireless Mic
15	Where will this reside?	The Training Center – in a small room approx. 30 – 40 feet away.	Eurorack 12 channel mixer
16	What is the specification for the 65" monitor?	There is no particular brand or minimum specifications for this ITB.	Presenter Display
17	Who is responsible for power?	TDOSHS	Presenter Display
18	Will this monitor be controlled by a master touchscreen	Yes.	Presenter Display
19	Who is responsible for power?	TDOSHS	Additional Equipment
20	What is the specification for the 43" monitor?	Programmable with custom information to include video and schedule	Lobby Signage
21	What is the source for this monitor? (Bright Menu is listed , does that mean a Brightsign player needs to be provided?)	This is not noted in the specifications.	Lobby Signage
22	Who is responsible for power?	TDOSHS	Lobby Signage
23	The specification mentioned virtual training but there is no equipment listed to make this happen, i.e. cameras, room mics, DSP, etc.	We identified the project needs, but it is out of our knowledge area what product best suits the mission.	Additional Questions
24	Is there an installation deadline?	Please see the specifications.	Additional Questions
25	Do we need to submit any credentials with the bid?	Please provide answers to every Bid Factor.	Additional Questions
26			
27			
28			
29			

IT Projects Questions and Comments Response

Q #	Question	Response	
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
77			
78			
79			
80			

IT Projects Questions and Comments Response

Q #	Question	Response	
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
100			
102			
103			
104			
105			
106			
108			
109			
110			
111			
112			
113			
114			
115			
116			
117			
118			
119			
120			
121			
122			

IT Projects Questions and Comments Response

Q #	Question	Response	
123			
124			
125			
126			
127			
128			
129			
130			
131			
132			
133			
134			
135			
136			
137			
138			
139			

IT Projects Questions and Comments Response

Q #	Question	Response	
140			
141			
142			
143			
144			
145			
146			
147			
148			
149			
150			
151			
152			
153			
154			
155			
156			
157			
158			
159			
160			
161			
162			
163			
164			
165			
166			
167			
168			
169			
170			
171			
172			
173			
174			
175			
176			
177			
178			
179			
180			
181			
182			

IT Projects Questions and Comments Response

Q #	Question	Response	
183			
184			
185			
186			
187			
188			
191			